

CONTENTS

PLASMA DIFFUSION TREATMENT

Plasma surface engineering of low alloy steel.	419
Y. Sun and T. Bell (Birmingham, U.K.)	
Plasma nitriding in industry—problems, new solutions and limits.	435
R. Grün and H.-J. Günther (Siegen, F.R.G.)	
Sputtering, deposition, and diffusion in ion-nitriding of an austenitic stainless steel.	442
K. Ichii, K. Fujimura and T. Takase (Osaka, Japan)	
Influence of pulsed d.c.-glow-discharge on the phase constitution of nitride layers during plasma nitro- carburizing of sintered materials	448
K.-T. Rie and F. Schnatbaum (Brawnschweig, F.R.G.)	
Plasma overcarburizing of chromium steels for hot working and wear applications	454
J. P. Souchard (La Verpilliere, France), P. Jacquot and M. Buvron (Chassieu, France)	
Plasma carburization of wear-resistant high chromium iron	461
I. Asano, T. Araki and Y. Ikawa (Ehime-Ken, Japan)	
Plasma nitriding improvements of fatigue properties of nodular cast iron crankshafts	469
M. M. Tošić and R. Gligorijević (Belgrade, Yugoslavia)	
Plasma heat treatment of steel: microstructure, properties and applications.	474
Z. Nitkiewicz and L. Jeziorski (Częstochowa, Poland)	
Formation of $TiAl_3$ layer on titanium alloys	479
J. Král, M. Ferdinandy, D. Liška and P. Diko (Košice, Czechoslovakia)	
Application of ion nitriding to wire-electrical-discharge-machined blanking dies	486
T. Sone and K. Masui (Osaka, Japan)	
Nitrogen microwave discharge as a source of excited neutral species for possible surface treatment. . . .	494
C. Chave, C. Boisse-Laporte, J. Marec and Ph. Leprince (Orsay, France)	
Formation of TiN layers by plasma-assisted chemical vapour deposition at temperatures greater than 823 K	499
J. Michalski and T. Wierzchoń (Warsaw, Poland)	
Properties of composite layers produced on stainless steel under glow discharge conditions	505
T. Wierzchoń, J. Michalski and J. Rudnicki (Warsaw, Poland)	

PLASMA TECHNOLOGY

Dynamic interactions in the physical properties of magnetron deposition systems	510
S. M. Rossnagel (Yorktown Heights, NY, U.S.A.)	
An investigation into the effects of plasma bombardment anisotropy in low frequency r.f. glow discharges	517
A. S. James, K. S. Fancey and A. Matthews (Hull, U.K.)	
Ion-assisted deposition with a new plasma source	523
K. Matl, W. Klug and A. Zöller (Alzenau, F.R.G.)	
Zirconia thin film deposition on silicon by reactive gas flow sputtering: the influence of low energy par- ticle bombardment	528
T. Jung and A. Westphal (Berlin, F.R.G.)	
TiN plasma CVD coatings deposited by different excitation methods for the gas discharge	534
H. Freller and H. P. Lorenz (Erlangen, F.R.G.)	
Plasma synthesis of disperse oxide materials from disintegrated solutions	539
Y. N. Tumanov and A. V. Sigailo (Kashira Highway, U.S.S.R.)	
Properties and performance of plasma-assisted physically vapor-deposited TiC coatings.	549
K. Upadhy (Milwaukee, WI, U.S.A.)	

Characterization of TiN coatings deposited on plasma nitrided tool steel surfaces.	554
M. Van Stappen, B. Malliet, L. Stals, L. De Schepper (Diepenbeek, Belgium), J. R. Roos and J. P. Celis (Leuven, Belgium)	
Development of large area sputter-coating method using magnetized a.c. plasmas with inclined electrodes	563
Y. Matsuda, K. Kuwahara and H. Fujiyama (Nagasaki, Japan)	
Averaging effect of radical particle profile by the scanning plasma method in SiH ₂ -Ar plasmas	569
H. Fujiyama, H. Kawasaki, Y. Matsuda and N. Ohno (Nagasaki, Japan)	
A coating thickness uniformity model for physical vapour deposition systems—further validity tests	576
K. S. Fancey, P. A. Robinson, A. Leyland, A. S. James and A. Matthews (Hull, U.K.)	
<i>HARD COATINGS</i>	
A review of the methods for the evaluation of coating-substrate adhesion	583
P. R. Chalker, S. J. Bull and D. S. Rickerby (Didcot, U.K.)	
Tribological properties and wear behaviour of sputtered titanium-based hard coatings under sheet-metal-forming conditions.	593
B. Matthes, W. Herr, E. Broszeit, K. H. Kloos, G. Nürnberger, D. Schmoeckel (Darmstadt, F.R.G.), F. Höhl, H.-R. Stock and P. Mayr (Bremen, F.R.G.)	
Evaluation of some new titanium-based ceramic coatings in tribological model wear and metal-cutting tests	602
H. Ronkainen, I. Nieminen, K. Holmberg (Espoo, Finland), A. Leyland, K. S. Fancey, A. Matthews (Hull, U.K.), B. Matthes and E. Broszeit (Darmstadt, F.R.G.)	
Two-phase TiC/TiB ₂ hard coatings	609
H. Holleck and M. Lahres (Karlsruhe, F.R.G.)	
Fundamental properties and wear resistance of r.f.-sputtered TiB ₂ and Ti(B,N) coatings	616
W. Herr, B. Matthes, E. Broszeit and K. H. Kloos (Darmstadt, F.R.G.)	
A comparison of the corrosion behaviour and hardness of steel samples (100Cr6) coated with titanium nitride and chromium nitride by different institutions using different deposition techniques	625
A. Schröer, W. Ensinger and G. K. Wolf (Heidelberg, F.R.G.)	
Influence of deposition conditions on the adhesion of sputter-deposited W-C-(Co) films.	631
A. Cavaleiro and M. T. Vieira (Coimbra, Portugal)	
Physical vapour deposition of TiN hard coatings with additional electron beam heat treatment	639
A. Schulz, H.-R. Stock and P. Mayr (Bremen, F.R.G.)	
Tribological properties of r.f.-sputtered titanium-based hard coatings and their behaviour under plastics-processing conditions.	647
G. Paller, B. Matthes, W. Herr and E. Broszeit (Darmstadt, F.R.G.)	
Amorphous and crystalline phases in PVD coatings after laser treatment	655
O. Knotek and F. Löffler (Aachen, F.R.G.)	
Ti-N films created in close vicinity of transition from α -Ti(N) to δ -TiN _x phase	660
V. Poulek, J. Musil, V. Valvoda and L. Dobiasova (Prague, Czechoslovakia)	
Deposition of hard coatings by a hollow-cathode arc evaporation device	666
A. Lunk (Greifswald, F.R.G.)	
Sputter deposition of wear-resistant coatings within the system Zr-B-N.	670
C. Mitterer, A. Übleis and R. Ebner (Leoben, Austria)	
Preparation and properties of metastable TiC/SiC PVD coatings for wear protection	676
R. Fella and H. Holleck (Karlsruhe, F.R.G.)	
High speed pipe inner coating using magnetron hollow-cathode discharge in a magnetic field	682
H. Kawasaki, T. Nakashima and H. Fujiyama (Nagasaki, Japan)	
Structure and properties of ion-plated aluminium bronze films	687
Z.-M. Gu, L. Wang and L.-Y. Yang (Dalian, China)	

Development of a large area sputter-coating method using a new magnetron discharge	691
K. Kuwahara, Y. Matsuda and H. Fujiyama (Nagasaki, Japan)	
The influence of the reactive gas flow on the properties of AlN sputter-deposited films	696
E. Janczak-Bienk, H. Jensen and G. Sørensen (Aarhus, Denmark)	
Properties of sputtered stainless steel-nitrogen coatings and structural analogy with low temperature plasma nitrided layers of austenitic steels	702
A. Saker, Ch. Leroy, H. Michel and C. Frantz (Nancy, France)	
Formation of metallic coatings on non-heated substrates by the impulse plasma method	709
K. Zdunek (Warsaw, Poland)	
Characterization of remote plasma-enhanced chemical vapour deposition processes	715
W. Kulisch, M. Witt, H. J. Frenck and R. Kassing (Kassel, F.R.G.)	
A comparative study of the corrosion performance of TiN, Ti(B,N) and (Ti,Al)N coatings produced by physical vapour deposition methods	722
J. Aromaa, H. Ronkainen, A. Mahiout, S.-P. Hannula (Espoo, Finland), A. Leyland, A. Matthews (Hull, U.K.), B. Matthes and E. Broszeit (Darmstadt, F.R.G.)	
Characterization of surface chromium and molybdenum alloying on gray cast iron obtained by the plasma-transferred arc technique	727
L. Giordano, A. Tiziani, A. Zambon (Padova, Italy) and N. Antolotti (Parma, Italy)	
Plasma impulse chemical vapour deposition—a novel technique for the production of high power laser mirrors	733
J. Segner (Mainz, F.R.G.)	
<i>SUPERHARD COATINGS</i>	
Deposition and properties of diamond thin films	741
C.-P. Klages (Hamburg, F.R.G.)	
Microstructure of diamond films near the interface with WC substrate	747
S. Takatsu, K. Saijo, M. Yagi, K. Shibuki (Kawasaki, Japan) and J. Echigoya (Sendai, Japan)	
Manufacture of c-BN films with improved adhesion	753
M. Murakawa, S. Watanabe and S. Miyake (Saitama-Prefecture, Japan)	
Forming of a grinding wheel using a dresser with brazed diamond film	759
M. Murakawa and S. Takeuchi (Saitama-Prefecture, Japan)	
<i>C:H COATINGS</i>	
The deposition of Ag-C:H films: a tool to understand the role of carbide-forming metals in the Me-C:H deposition process	764
J. T. Harnack and C. Benndorf (Hamburg, F.R.G.)	
Deposition of diamond-like carbon films by the anodic arc technique.	770
V. Buck, M. Mausbach and J. Bur am Orde (Essen, F.R.G.)	
Investigations of the structure of a-C:H films	775
R. Kleber, W. Dworschak, J. Gerber, A. Krüger, K. Jung, H. Ehrhardt (Kaiserslautern, F.R.G.), S. Schulze, I. Mühling, S. Deutschmann, W. Scharff (Chemnitz, F.R.G.), F. Engelke and M. Metz (Leipzig, F.R.G.)	
Cathodic arc deposition of diamond-like carbon: effect of bias voltage and deposition angle	780
B. Rother, J. Siegel, I. Mühling and H. Fritzsche (Chemnitz, F.R.G.)	
Microwave plasma apparatus for deposition of hydrogenated amorphous carbon layers.	784
K. Hammer, S. Roth, B. Mainz, O. Stenzel, W. Scharff (Chemnitz, F.R.G.), W. Dworschak, R. Kleber, A. Krüger, K. Jung and H. Ehrhardt (Kaiserslautern, F.R.G.)	
Plasma and particle flux characterization of the a-C:H deposition process by ion-assisted methods.	788
G. Schaarschmidt, F. Scholze, S. Porsch, F. Wolf, T. Wallendorf, W. Scharff (Chemnitz, F.R.G.), J. Gerber, R. Kleber, W. Dworschak, A. Krüger, K. Jung and H. Ehrhardt (Kaiserslautern, F.R.G.)	

Structural and mechanical properties of niobium-containing amorphous hydrogenated carbon films (Nb-C:H)	795
C. Benndorf, M. Fryda, C.-P. Klages, K. Taube (Hamburg, F.R.G.) and H.-G. Haubold (Jülich, F.R.G.)	
Sputtered stainless steel-carbon coatings as a substitute for hard electrolytic chromium for potential applications in mechanics.	802
A. Billard (Nancy, France), J. Steinmetz (Vandoeuvre, France) and C. Frantz (Nancy, France)	
Interaction of graphite with an energetic hydrogen isotope beam.	809
M. Yamawaki, K. Yamaguchi, T. Iwai and S. Tanaka (Ibaraki-ken, Japan)	
<i>GENERAL ASPECTS AND ARC TECHNIQUES</i>	
(Ti-Al)N advanced films prepared by arc process	816
B. F. Coll, R. Fontana, A. Gates and P. Sathrum (Rockaway, NJ, U.S.A.)	
Relations between plasma properties of thin copper films produced by an anodic vacuum arc	825
M. Mausbach, H. Ehrich and K. G. Müller (Essen, F.R.G.)	
Cathodic arc deposition of TiN and Zr(C,N) at low substrate temperatures using a pulsed bias voltage . . .	830
J. Fessmann, W. Olbrich, G. Kampschulte (Stuttgart, F.R.G.) and J. Ebberink (Sigmaringen-Laiz, F.R.G.)	
TiC _x N _{1-x} coatings by using the arc evaporation technique.	838
E. Damond, P. Jacquot (Chassieu, France) and J. Pagny (Neuilly en Thelle, France)	
AUTHOR INDEX	842
SUBJECT INDEX	845

